


akurit SPO

Base joint profile

aluminium base joint rail, trough form

- 45 mm upstand makes it easier to subsequently drill holes



Applications

- flush lower system termination for all AKURIT WDVS, no transition to base joint insulation
- End profile for external thermal insulation composite systems without base joint insulation or with base joint insulation that springs back

Processing

Applying / Processing / Assembling

- Attach base joint profile perpendicular and flush in the planned base height.
- Fasten profile with profile anchors approx. every 30 cm in load-bearing masonry.
- Any unevenness in the substrate is compensated with spacers.
- Connect individual base joint profiles with base joint connectors.
- After assembly, put on AKURIT-SPA base joint push-on profile for thin-layered plaster structures or AKURIT SPZ supplementary base joint profile for thick-layered plaster structures.

Notes

- Deformed or damaged profiles must not be installed.
- Supplementary products: AKURIT SPS base joint fastening kit, AKURIT SPZ supplementary base joint profile, AKURIT SPA base joint push-on profile

Storage

- Store dry and as per instructions.

General notes

This information sheet provides only general recommendations. Should you have any queries relating to a specific application, please contact our technical sales advisor or call our hotline: +49 541 601-601. All of the details given are based on our current knowledge and experience and on the assumption that the materials are professionally applied and used for their normal purpose. All of the details are non-binding and do not release users from their duty to undertake their own tests to ensure suitability for the intended application. Due to the effects of different weather, processing and construction site conditions, no guarantee can be given for the general validity of all details. We reserve the right to make changes as a result of further development of the product and applications engineering. The general rules for construction engineering, the valid standards and guidelines, and the technical working guidelines must be observed. The publication of this technical data sheet renders all previous editions of this data sheet void. Please obtain the latest information from our website.